

GRAB AND GO LESSON

Infant Meal Pattern Age Groups

Compliance | CACFP Meal Pattern

Purpose: This handout addresses the infant meal pattern and the two age groups.

The Child and Adult Care Food Program infant meal pattern features two age groups: birth through the end of 5 months and six months through the end of 11 months. These two age groups focus on feeding infants what they need for optimal growth and development in five ways.

Encourages Breastfeeding

Both age groups promote breastfeeding. Breastmilk is the optimal source of nutrients. Generally, it is the only source of nutrients for healthy growth and development during the first six months of life. Breastmilk or infant formula is the only required food component for infants after birth through the end of five months of age for all meals and snacks.

Promotes Developmental Readiness

Another advantage of having two age groups is to help delay the introduction of solids foods until around six months. Introducing solids foods before they are developmentally ready increases their risk of being overweight or obese later in life. Also, infants need time to develop the necessary skills for eating solid goods. Most are not ready until halfway through the first year.

Allows More Nutritious Foods

The two age groups also allow more nutritious foods. Around six months, when an infant is developmentally ready to eat solid foods, you may introduce them from all the meal components. During breakfast, lunch, and supper meals, the following three meal components must be offered to infants:

- Breastmilk or iron-fortified infant formula
- Infant cereal, meat/meat alternate, or a combination
- Vegetable, fruit, or a combination

During snacks, there are three meal components:

- Breastmilk or iron-fortified infant formula
- Grains
- Vegetable, fruit, or a combination

Focuses on Serving Sizes

Infants should be served just what they need. Besides breastmilk and infant formula, the serving sizes for all meal components for both meals and snacks begin with “zero” for infants six through 11 months. This serving size recognizes that not all infants are ready to eat solid foods right at six months of age and may need additional time before they are developmentally ready. It also allows you to serve meals consistent with the infant’s eating habits. As long as these meals align with developmental readiness, the meals are reimbursable. By seven or eight months of age, most infants should be able to consume solid foods from all food groups.

GRAB AND GO LESSON

Infant Meal Pattern Age Groups

Compliance | CACFP Meal Pattern

Focuses on Eating Habits

The two age groups focus on infants' eating habits. The serving sizes allow you to feed infants based on their eating habits with the understanding that they may change. For example, some infants may eat certain food(s) this week, but will not eat the same food(s) the next. This meal should not be disallowed, as long as you offer meals consistent with the infants' eating habits.

Keep these five key ways in mind to ensure you meet their nutritional needs.

References

- Institute of Child Nutrition. (2019). *CACFP meal pattern requirements training*. University, MS: Author.
- U.S. Department of Agriculture, Food and Nutrition Service. (2020). *Child and Adult Care Food Program*. www.fns.usda.gov/cacfp/child-and-adult-care-food-program
- World Health Organization. (2018). *Session 1: The importance of infant and young child feeding and recommended practices* [Report]. www.ncbi.nlm.nih.gov/books/NBK148967/
- U.S. Department of Agriculture, Food and Nutrition Service. (2024). *Final Rule - Child Nutrition Programs: Meal patterns consistent with the 2020-2025 Dietary Guidelines for Americans*. <https://www.fns.usda.gov/cn/fr-042524>

This project has been funded at least in part with Federal funds from the U.S. Department of Agriculture, Food and Nutrition Service through an agreement with the Institute of Child Nutrition at the University of Mississippi. The content of this publication does not necessarily reflect the view or policies of the U.S. Department of Agriculture, nor does mention of trade names, commercial products, or organizations imply endorsement by the U.S. Government.

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, this institution is prohibited from discriminating based on race, color, national origin, religion, sex, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity.

To file a complaint of discrimination, send a letter to the U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410, or email program.intake@usda.gov.

This institution is an equal opportunity provider.

The University of Mississippi is an EEO/AA/Title VI/Title IX/Section 504/ADA/ADEA employer.

Except as provided below, the text and information in this document may be used freely for non-profit or educational purposes with no cost to the participant for the training, provided the following citation is included. These materials may not be incorporated into other websites or textbooks and may not be sold.

Suggested Reference Citation:

Institute of Child Nutrition. (2025). *Grab and go lesson: Infant meal pattern age group*. University, MS: Author.

The photographs and images in this document may be owned by third parties and used by the University of Mississippi under a licensing agreement. The university cannot, therefore, grant permission to use these images. Please contact helpdesk@theicn.org for more information.