## Clean and Sanitize Bottles for Infant Feeding

## Before handling bottles.

- Clean and sanitize the work area.
- Wash hands, fingernails, and arms.

## To clean and sanitize bottles.

- Use hot, soapy water and a bottle brush to wash bottle parts, paying particular attention to bottles, nipples, caps, and rings. Rinse thoroughly.
- Wash and sanitize in a dishwasher whenever possible. If unavailable, place the bottle parts in a pot and cover with water. Bring to a boil and boil for 5 minutes. Remove with sanitized tongs.
- Allow the bottle parts to air dry.



The University of Mississippi is an EEO/AA/TitleVI/Title IX/Section 504/ADA/ADEA Employer.

In accordance with Federal law and U.S. Department of Agriculture policy, this institution is prohibited from discriminating on the basis of race, color, national origin, sex, age, or disability.

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights; Room 326-W, Whitten Building, 1400 Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA

© 2015, Institute of Child Nutrition, The University of Mississippi, School of Applied Sciences

Except as provided below, you may freely use the text and information contained in this document for non-profit or educational use with no cost to the participant for the training providing the following credit is

The photographs and images in this document may be owned by third parties and used by The University of Mississippi under a licensing agreement. The University cannot, therefore, grant permission to use these

